

Stock Styles

Modified Stock Styles

Using off-the-shelf accessories, stock styles BMQ, BM and B can be field or factory modified into a wide range of styles. See pages 88-89 for details.

**MOTORIZED
C FLANGE
QUILL
INPUT**

Style BMQ



Ratings: Pages 14-17
Dimensions: Pages 18-19

Horizontal Base Worm Over

Style TMQ



Ratings: Pages 14-17
Dimensions: Pages 20-21

Horizontal Base Worm Under

Style UMQ*



Ratings: Pages 14-17
Dimensions: Pages 24-25

Horizontal Base Worm Center

Style RMQ



Ratings: Pages 14-17
Dimensions: Pages 22-23

**MOTORIZED
C FLANGE
FLEXIBLE
COUPLING
INPUT**

Style BM



Ratings: Pages 14-17
Dimensions: Pages 18-19

Style TM



Ratings: Pages 14-17
Dimensions: Pages 20-21

Style UM*



Ratings: Pages 14-17
Dimensions: Pages 24-25

Style RM



Ratings: Pages 14-17
Dimensions: Pages 22-23

Style B



Ratings: Pages 14-17
Dimensions: Pages 18-19

Style T



Ratings: Pages 14-17
Dimensions: Pages 20-21

Style U*



Ratings: Pages 14-17
Dimensions: Pages 24-25

Style R



Ratings: Pages 14-17
Dimensions: Pages 22-23

* Not a recommended mounting style.
Consult LEESON for selection assistance.

Additional accessories, options and assembly services are available,
contact LEESON for details.

Vertical
Input Shaft

Style JMQ



Ratings: Pages 14-17
Dimensions: Pages 26-27

Vertical Output Shaft
Low Base

Style VLMQ **



Ratings: Pages 14-17
Dimensions: Pages 28-29

Vertical Output Shaft
High Base

Style VHMQ **



Ratings: Pages 14-17
Dimensions: Pages 30-31

Flange Mounted
Output Shaft

Style FMQ



Ratings: Pages 14-17
Dimensions: Pages 32-33

Style JM



Ratings: Pages 14-17
Dimensions: Pages 26-27

Style VLM **



Ratings: Pages 14-17
Dimensions: Pages 28-29

Style VHM **



Ratings: Pages 14-17
Dimensions: Pages 30-31

Style FM



Ratings: Pages 14-17
Dimensions: Pages 32-33

Style J



Ratings: Pages 14-17
Dimensions: Pages 26-27

Style VL **



Ratings: Pages 14-17
Dimensions: Pages 28-29

Style VH **



Ratings: Pages 14-17
Dimensions: Pages 30-31

Style F



Ratings: Pages 14-17
Dimensions: Pages 32-33

** SPECIFY SHAFT UP OR DOWN FOR THESE STYLES.

Stock Styles

Modified Stock Styles

Using off-the-shelf accessories, stock styles HMQ, HM and H can be field or factory modified into a wide range of styles. See pages 88-89 for details.

Style HMQ

Style JHMQ

**MOTORIZED
C FLANGE
QUILL
INPUT**



Ratings: Pages 14-17
Dimensions: Pages 36-37

Ratings: Pages 14-17
Dimensions: Contact LEESON CANADA

Style HM

Style JHM

**MOTORIZED
C FLANGE
FLEXIBLE
COUPLING
INPUT**



Ratings: Pages 14-17
Dimensions: Pages 36-37

Ratings: Pages 14-17
Dimensions: Contact LEESON CANADA

Style H

Style JH

NON-FLANGED



Ratings: Pages 14-17
Dimensions: Pages 36-37

Ratings: Pages 14-17
Dimensions: Contact LEESON CANADA

Additional accessories, options and assembly services are available, contact LEESON for details.

**Vertical Output Shaft
Low Base**

Style VLHMQ



Ratings: Pages 14-17
Dimensions: Contact LEESON CANADA

**Vertical Output Shaft
High Base**

Style VHMQ



Ratings: Pages 14-17
Dimensions: Contact LEESON CANADA

**Flange Mounted
Output Shaft**

Style FHM



Ratings: Pages 14-17
Dimensions: Pages 38-39

Style VLHM



Ratings: Pages 14-17
Dimensions: Contact LEESON CANADA

Style VHMM



Ratings: Pages 14-17
Dimensions: Contact LEESON CANADA

Style FHM



Ratings: Pages 14-17
Dimensions: Pages 38-39

Style VLH



Ratings: Pages 14-17
Dimensions: Contact LEESON CANADA

Style VHH



Ratings: Pages 14-17
Dimensions: Contact LEESON CANADA

Style FH



Ratings: Pages 14-17
Dimensions: Pages 38-39