


Stock Styles

Modified Stock Styles

Using off-the-shelf accessories, stock styles DMQ, DM and D can be field or factory modified into a wide range of styles. See pages 88-89 for details.

Style DMQ

**MOTORIZED
C FLANGE
QUILL
INPUT**



Horizontal Base Worm Over

Style DTMQ



Horizontal Base Worm Under

Style DUMQ *



Ratings: Pages 48-51
Dimensions: Pages 52-53

Ratings: Pages 48-51
Dimensions: Pages 54-55

Ratings: Pages 48-51
Dimensions: Pages 56-57

Style DM

**MOTORIZED
C FLANGE
FLEXIBLE
COUPLING
INPUT**



Style DTM



Style DUM *



Ratings: Pages 48-51
Dimensions: Pages 52-53

Ratings: Pages 48-51
Dimensions: Pages 54-55

Ratings: Pages 48-51
Dimensions: Pages 54-55

Style D

NON-FLANGED



Style DT



Style DU *



Ratings: Pages 48-51
Dimensions: Pages 52-53

Ratings: Pages 48-51
Dimensions: Pages 54-55

Ratings: Pages 48-51
Dimensions: Pages 56-57

* Not a recommended mounting style.
Consult LEESON CANADA for selection assistance.

Additional accessories, options and assembly services are available,
contact LEESON CANADA for details.

**Vertical
Input Shaft**

Style DJMQ



Ratings: Pages 48-51
Dimensions: Pages 58-59

**Vertical Output Shaft
Low Base**

Style DVLMQ**



Ratings: Pages 48-51
Dimensions: Pages 60-61

**Vertical Output Shaft
High Base**

Style DVHMQ**



Ratings: Pages 48-51
Dimensions: Pages 62-63

**Flange Mounted
Output Shaft**

Style DFMQ



Ratings: Pages 48-51
Dimensions: Pages 64-65

Style DJM



Ratings: Pages 48-51
Dimensions: Pages 58-59

Style DVLM**



Ratings: Pages 48-51
Dimensions: Pages 60-61

Style DVHM**



Ratings: Pages 48-51
Dimensions: Pages 62-63

Style DFM



Ratings: Pages 48-51
Dimensions: Pages 64-65

Style DJ



Ratings: Pages 48-51
Dimensions: Pages 58-59

Style DVL**



Ratings: Pages 48-51
Dimensions: Pages 60-61

Style DVH**



Ratings: Pages 48-51
Dimensions: Pages 62-63

Style DF



Ratings: Pages 48-51
Dimensions: Pages 64-65

** SPECIFY SHAFT UP OR DOWN FOR THESE STYLES.

Stock Styles

Modified Stock Styles

Using off-the-shelf accessories, stock styles DHMQ, DHM and DH can be field or factory modified into a wide range of styles. See pages 88-89 for details.

Style DHMQ

**MOTORIZED
C FLANGE
QUILL
INPUT**



Ratings: Pages 48-51
Dimensions: Pages 66-67

Style DJHMQ

**Vertical
Input Shaft**



Ratings: Pages 48-51
Dimensions: Contact LEESON CANADA

Style DHM

**MOTORIZED
C FLANGE
FLEXIBLE
COUPLING
INPUT**



Ratings: Pages 48-51
Dimensions: Pages 66-67

Style DJHM



Ratings: Pages 48-51
Dimensions: Contact LEESON CANADA

Style DH

NON-FLANGED



Ratings: Pages 48-51
Dimensions: Pages 66-67

Style DJH



Ratings: Pages 48-51
Dimensions: Contact LEESON CANADA

Additional accessories, options and assembly services are available, contact LEESON CANADA for details.

**Vertical Output Shaft
Low Base**

Style DVLHM



Ratings: Pages 48-51
Dimensions: Contact LEESON CANADA

**Vertical Output Shaft
High Base**

Style DVHHM



Ratings: Pages 48-51
Dimensions: Contact LEESON CANADA

**Flange Mounted
Output Shaft**

Style DFHM



Ratings: Pages 48-51
Dimensions: Pages 68-69

Style DVLHM



Ratings: Pages 48-51
Dimensions: Contact LEESON CANADA

Style DVHHM



Ratings: Pages 48-51
Dimensions: Contact LEESON CANADA

Style DFHM



Ratings: Pages 48-51
Dimensions: Pages 68-69

Style DVLH



Ratings: Pages 48-51
Dimensions: Contact LEESON CANADA

Style DVHH



Ratings: Pages 48-51
Dimensions: Contact LEESON CANADA

Style DFH



Ratings: Pages 48-51
Dimensions: Pages 68-69